

Analytica Chimica Acta 414 (2000) 245-246

ANALYTICA CHIMICA ACTA

www.elsevier.com locate aca

## **Author Index**

Adams, F.C., see Slaets, S. 141

Alarfaj, N.A., see Aly, F.A. 15

Albero, M.I., see Sanchez-Pedreño, C. 195

Albertús, F.

-, Cortés, I., Alvarez, M. and Cerda, V.

Non-linear calibration in single point flow titration of protolytes.

A comparison of model options by using Delta Test 221

Alizadeh, N., see Mousavi, M.F. 189

Altzitzoglou, T., see Torres, J.M. 101

Alvarez, M., see Albertús, F. 221

Alwarthan, A.A., see Aly, F.A. 15

Aly, F.A.

-, Alarfaj, N.A. and Alwarthan, A.A.

Sensitive assay for clavulanic acid and sulbactam in pharmaceuticals and blood serum using a flow-injection chemiluminometric method 15

Bickel, M., see Torres, J.M. 101

Borham, N., see Khalil, S. 215

Castillo, J.R., see Sierra, J.F. 33

Cerda, V., see Albertús, F. 221

Cortés, I., see Albertús, F. 221

Díaz, A.N., see Sánchez, F.G. 25

Dasgupta, P.K., see Kephart, T.S. 71

De Marcos, S., see Sierra, J.F. 33

Dirie, M.F., see Mullett, W.M. 123

Durst, R.A., see Ho, Ja-an A. 51, 61

El-Hallag, I.S.

-, Ghoneim, M.M. and Hammam, E.

New method for the investigation of CE system via convolutive voltammetry combined with digital simulation 173

EL-Ries, M.A., see Khalil, S. 215

Fago, G., see Laganà, A. 79

Fang, Z.-L., see Huang, X.-J. 1

Fasciani, L., see Laganà, A. 79

Galban, J., see Sierra, J.F. 33

Garcia, M.S., see Sanchez-Pedreño, C. 195

Ghoneim, M.M., see El-Hallag, I.S. 173

Giráldez, I., see Gómez Ariza, J.L. 151

Gómez Ariza, J.L.

-, Giráldez, I., Sánchez-Rodas, D. and Morales, E.

Metal sequential extraction procedure optimized for heavily polluted and iron oxide rich sediments 151

Grover, S.K., see Kumar, A. 43

Guo, H., see Mullett, W.M. 123

Hammam, E., see El-Hallag, I.S. 173

He, X., see Mullett, W.M. 123

Ho, Ja-an A.

- and Durst, R.A.

Development of a flow-injection liposome immunoanalysis

system for fumonisin B1 61

Preparation of reagents for the determination of fumonisin B1 by flow-injection immunoanalysis 51

Huang, J., see Korzeniewski, C. 239

Huang, X.-J.

- and Fang, Z.-L.

Chemiluminescence detection in capillary electrophoresis I

Janoš, P.

Reversed-phase liquid chromatography of metal chelates of 4-(2-pyridylazo) resorcinol: retention model and its verification

Kai, M., see Ohba, Y. 95

Kephart, T.S.

- and Dasgupta, P.K.

Hot eluent capillary liquid chromatography using zirconia and titania based stationary phases 71

Khalil, S.

-, Borham, N. and EL-Ries, M.A.

Piroxicam and tenoxicam selective membrane sensors 215

Klampfl, C.W., see Niessner, G. 133

Korolczuk, M.

Voltammetric determination of traces of Cr(VI) in the presence of Cr(III) and humic acid 165

Korzeniewski, C.

— and Huang, J.

Erratum to "Screening effects in surface infrared spectra of CO adsorbed on electrodes: application to isothermal desorption measurements" [Analytica Chimica Acta 397 (1999) 53–59] 239

Kumar, A.

-, Malhotra, R., Malhotra, B.D. and Grover, S.K.

Co-immobilization of cholesterol oxidase and horseradish peroxidase in a sol-gel film 43

Laganà, A.

-, Fago, G., Fasciani, L., Marino, A. and Mosso, M.

Determination of diphenyl-ether herbicides and metabolites in natural waters using high-performance liquid chromatography with diode array tandem mass spectrometric detection 79

Lai, E.P.C., see Mullett, W.M. 123

Li, X.-y., see Pei, J. 205

Llauradó, M., see Torres, J.M. 101

Malhotra, B.D., see Kumar, A. 43

Malhotra, R., see Kumar, A. 43

Marino, A., see Laganà, A. 79

Mohr. G.J.

-, Nezel, T. and Spichiger-Keller, U.E.

Effect of the polymer matrix on the response of optical sensors for dissolved aliphatic amines based on the chromoreactand ETH<sup>T</sup> 4001 181

Morales, E., see Gómez Ariza, J.L. 151

Mosso, M., see Lagana, A. 79

Mousavi, M.F.

-, Sahari, S., Alizadeh, N. and Shamsipur, M.

Lead ion-selective membrane electrode based on 1,10-dibenzyl-1,10-diaza-18-crown-6 189

Mullett, W.M.

-, Dirie, M.F., Lai, E.P.C., Guo, H. and He, X.

A 2-aminopyridine molecularly imprinted polymer surrogate micro-column for selective solid phase extraction and determination of 4-aminopyridine 123

Nezel, T., see Mohr, G.J. 181

Niessner, G.

- and Klampfl, C.W.

Direct comparison of solid-phase extraction and solid-phase microextraction for the gas chromatographic determination of dibenzylamine in artificial saliva leachates from baby bottle teats 133

Ohba, Y.

-, Soda, K., Kai, M. and Zaitsu, K.

Assay of cyclic nucleotide phosphodiesterase activity in rat brain by high-performance liquid chromatography using (3,4dimethoxyphenyl)glyoxal as a fluorescence derivatizing reagent

Ortuño, J.A., see Sanchez-Pedreño, C. 195

Pei. J.

- and Li. X.-v.

Xanthine and hypoxanthine sensors based on xanthine oxidase immobilized on a CuPtCl<sub>6</sub> chemically modified electrode and liquid chromatography electrochemical detection 205

Pilviö, R., see Torres, J.M. 101

Rauret, G., see Torres, J.M. 101

Sánchez, F.G

-, Díaz, A.N. and Torijas, M.C.

Selective determination of carbaryl and benomyl by fluorescence polarization 25

Sánchez-Rodas, D., see Gómez Ariza, J.L. 151

Sahari, S., see Mousavi, M.F. 189

Sanchez-Pedreño, C.

—, Ortuño, J.A., Albero, M.I., Garcia, M.S. and Valero, M.V. Development of a new bulk optode membrane for the determination of mercury(II) 195

Shamsipur, M., see Mousavi, M.F. 189

Sierra I F

-. Galban, J., De Marcos, S. and Castillo, J.R.

Direct determination of glucose in serum by fluorimetry using a labeled enzyme 33

Slaets, S.

- and Adams, F.C.

Determination of organomercury compounds with a miniaturised automated speciation analyser 141

Soda, K., see Ohba, Y. 95

Spichiger-Keller, U.E., see Mohr, G.J. 181

Torijas, M.C., see Sánchez, F.G. 25

Torres, J.M.

—, Llauradó, M., Rauret, G., Bickel, M., Altzitzoglou, T. and Pilviö, R.

Determination of <sup>90</sup>Sr in aquatic organisms by extraction chromatography: method validation 101

Valero, M.V., see Sanchez-Pedreño, C. 195

Zaitsu, K., see Ohba, Y. 95

